

Product Name: Beger AquaPU

Product Code: - Page 1 of 4

Date of Issue: 05/09/2012 Version no.1

1. IDENTIFICATION OF THE PRODUCT AND THE COMPANY

Product name: **Beger AquaPU**Supplier: Beger Co., Ltd.

Address: 90, 92 Buntudthong Road, Thanon Petchaburi, Ratchathawi, Bangkok 10400 Thailand.

2. COMPOSITION / INFORMATION ON INGREDIENTS

No.	Description	CAS.No.	Weight (%)
1	Water-Thinnable Fatty Acid Modified Polyurethane Resin	121-44-8	>48
2	Acrylic Polymer	Not Hazardous	>25
3	Individual Residual Monomers	Not Required	<0.05
4	Ammonia	1336-21-6	Max. 0.1
5	Water	7732-18-5	>25
6	Propylene Glycol	57-55-6	3
7	Pigment and Extender	Not Hazardous	<5

Legend: T+=Very toxic, T=Toxic, C=Corrosive, Xn=Harmful, Xi=Irritant, IK=No classification required, E=Explosive, O=Oxidizing, F+=Extremely flammable, F=Very flammable, Fo=Flammable, N=Danger to the environment.

3. HAZARDS IDENTIFICATION

Primary Routes of Exposure

Inhalation: Non-irritant.

Skin Contact: Prolonged or repeated skin contact can cause slight skin irritation.

Eye Contact: Direct contact with material can cause slight irritation.

4. FIRST AID MEASURES

General Advice: Avoid contact with skin and eyes.

Inhalation: Move patient to fresh air and seek medical assistance. Keep patient warm and

at rest. If breathing is irregular, administer artificial respiration. Give nothing by

mouth. If unconscious place in recovery postion.

Skin Contact: Wash affected skin areas thoroughly with soap water. Consult a physician if

irritation persists.

Eye Contact: Flush eyes with a large amount of water for at least 15 minutes. Consult a

physician if irritation persists.

Ingestion: If swallowed, give 2 glasses of water to drink. Consult a physician. Never give

anything by mouth to an unconscious person.



Product Name: Beger AquaPU

Product Code: - Page 2 of 4

Date of Issue: 05/09/2012 Version no.1

5. FIRE FIGHTING MEASURES

Flash Point:

Auto-Ignition Temperature:

Not Application.

Lower Explosive Limit:

Not Application.

Upper Explosive Limit:

Not Application.

Extinguishing Agents: Use extinguishing media appropriate for surrounding fire.

Extinguishing Media: Foam, Dry Powder, Carbon dioxide.

Personal Protective Equipment: Wear self-contained breathing apparatus (pressure-demand MSHA-NIOSH

approved or equipment) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Measures: Avoid contacts with the skin and the eyes.

Environmental Precaution: Do not let product enter drains.

Procedures for Cleaning Up: Soak up immediately with inert absorbent material e.g. sand, earth. Transfer

liquids and solid material to separate suitable containers for recovery or

disposal.

7. HANDLING AND STORAGE

Handling: Use only in well-ventilated areas. Keep away from heat and source of ignition.

General industrial hygiene practice.

Storage: Keep containers tightly closed in a cool, well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection: No Required.

Hand Protection: Rubber or plastic gloves.

Eye Protection: Chemical splash goggles, face shield.

Skin and Body Protection: Light weight protective.

Hygiene Measure: Keep away from food, drink. General industrial hygiene practice.







HYGINEIC PRACTICES: Good personal hygiene practices are required at all times when handling chemicals. These practices including, but are not limited to, washing when safety equipment is removed, at the end of each shift or when going on breaks and especially of contamination occurs.



Product Name: Beger AquaPU

Product Code: - Page 3 of 4

Date of Issue: 05/09/2012 Version no.1

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Emulsion Liquid
Colour: Milky White
Odour Characteristic: Pure Acrylic
pH: 7.0 to 9.0
Specific Gravity (Water = 1): 1.00 to 1.10

Viscosity: 90 ± 5 KU at 25'C Boiling Point: 100'C Water Solubility in Water: Soluble in Water

10. STABILITY AND REACTIVITY

Stability: Stable.

Conditions to avoid: >50°C.

Incompatibility: Thermal.

Hazardous Decomposition Products: There are no known materials.

11. TOXICOLOGICAL INFORMATION

Acute Data

Oral LD50: Rat: >5000 mg/kg.

Dermal LD50: Rabbit: >5000 mg/kg.

Skin LD50: Rabbit: Practically Non-Irritation.

Eye Irritation: Rabbit: Inconsequential Irritation.

12. ECOLOGICAL INFORMATION

No applicable data.

13. DISPOSAL CONSIDERATIONS

Waste form residues / unused products:

Solidify unexposed surplus and dispose of together with processed material as cured plastic waste – in accordance with local and national regulations.

Contaminated packing:

In accordance with local and national regulations.



Product Name: Beger AquaPU

Product Code: - Page 4 of 4

Date of Issue: 05/09/2012 Version no.1

14. TRANSPORT INFORMATION

US DAT Hazard Class: Non-Regulated.

Dangerous Symbol: n.a.
Product Contains: n.a.

15. REGULATORY INFORMATION

Classification: This product as supplied is non-hazardous under the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Full text of risk warnings for components listed in section 2

R10: Flammable.

R37/38: Irritating to respiratory system and skin.

R41: Risk of serious damage to eyes.

R61: May cause harm to the unborn child.

For multi-pack systems observe material safety data sheets of all components.

Explanation of abbreviations:

n.d.a.No data available.n.a.Not application.

16. OTHER INFORMATION

Recommended Used: For Decorative.

Recommended Restrictions: Keep out of reach of children.

This information contain herein relates only to the specific material identified. The company believes than such information is accurate and reliable as of the date of this safety date sheet, but no representation, guaranty, expressed or implied, is made as to the accuracy, or completeness of the information.